





Safety Protective Eyewear

www.norville.co.uk



Safety Protective Eyewear at Norville




In all areas of work, DIY and other activities, eye protection is not only good practice, but also common sense. Correctly prescribed safety spectacles are an essential part of everyday working. There are many and varied pieces of legislation, such as The Health and Safety at Work Act, and The Personal Protective Equipment Regulations 2002, which are Law and must be complied with, and these are the starting point for any safety professional in the workplace.

Our wide range of frame designs from some of the world's leading suppliers, including more modern wrap designs, together with the choice of exactly the right lens - single vision, bifocal or varifocal - including the latest digital lenses. All tested, safety-assured lenses, made from impact-resistant Polycarbonate, and chemical-resistant Trivex lens material.

We also offer specialist bespoke lens creation. If there is a need for the reading portion of a varifocal lens to be at the top of the frame, or a magnification bifocal lens in a certain position, we can provide this service.

Our dedicated Safety Eyewear Team is available to offer you every assistance in creating the perfect pair of safety glasses. Call 01452 528686 or email: safety@norville.co.uk

All products are supplied empty or with non safety lenses for demonstration purposes only Any bespoke lenses will revert to the standard pricelist. All progressive lenses offered are Digital design.





S0091*

CODE





- Comfort bridge
- Polycarbonate pin side shields supplied on this model.





60

*Also available without side shields - order with prefix "P" for Contract/VDU

OnGuard[®]

S0093*





• Polycarbonate pin side shields supplied on this model.



S0094



Brown Brushed Silver

 Polycarbonate riveted side shields supplied as standard on this model.





(A-B))=(_
53-36	18	140
55-38	18	145
57-40	20	148
CODE	COLOUR	
	Antique	Brown
	Smoke	

 Polycarbonate riveted side shields supplied as standard on this model.









*Also available without side shields - order with prefix "P" for Contract/VDU



SAFETY: 01452 528686 • FAX: 01452 510331 • EMAIL: safety@norville.co.uk • www.norville.co.uk

S0096

(A-B))=(_
50-33	19	140
52-35	19	145
54-37	21	148
CODE	COLOUR	
	Antique	Brown
	Smoke	

 Polycarbonate riveted side shields supplied as standard on this model.



S0097



Black Gunmetal

 Polycarbonate riveted side shields supplied as standard on this model.



S0098

٠

(A-B))=(
53-34	19	135
55-36	19	138
57-38	21	141
CODE	COLOUR	
	Gunmetal	
	Brown	

Polycarbonate riveted side shields

supplied as standard on this model.













S0099

(A-B))=(_
53-33	16	137
55-35	16	140
CODE	COLOUR	

Bronze Antique Blue

 Polycarbonate riveted side shields supplied as standard on this model.







S0100 PS

(A-B))=(_
56-36	20	120
CODE	COLOUR	
	Grey	
	Black	
	Blue	

- Frame Material Polycarbonate sides & brow bar
- TR90 lens carrier





)=(
17	140
17	140

COLOUR Chocolate/Chrome **Brushed Silver**

Spring hinges

CODE

- Material monel
- Polycarbonate pin side shields supplied on this model.

NOTE: ONLY AVAILABLE WITH POLYCARBONATE OR TRIVEX LENSES










OnGuard[®]







S0220

A-B)=(_
55-34	15	130
58-36	15	135

CODE COLOUR Black Brown Purple/White Grey/Pink Green/Yellow

- Frame Material: Nylon non conductive
- Brow bar available as an extra
- Great fitting options including small fit
- Comfortable flex finger bridge
- Sports wrap design
- Integral lateral protection



S220 FS



CODE COLOUR

Classic 220 styling with the addition of an internal full seal (non conductive). The seal is removable, this frame also offers:

- Removable adjustable head strap supplied as standard
- Indirect ventilation
- Comfortable flex finger bridge



S0225

(A-B))=(_
55-34	15	130
57-37	16	135
61-39	17	135
CODE	COLOUR	

Black/Yellow Gunmetal/Neon Green Navy/Neon Orange Silver/Navy

- Frame Material: Nylon non conductive
- Brow bar and removable adjustable
- head strap supplied as standard
- Length adjustable temples
 Great fitting options includir
- Great fitting options including small fitComfortable flex finger bridge
- Controllable flex filiger bridg
 Sports wrap design
- Integral lateral protection









Includes removable adjustable head strap





- This model is supplied with integral side shields.
- NO METAL CONTENT

. . . .

. .

PROTECTIVE EYEWEAR ACCESSORIES



▲ Microfibre Cloths, Large size **Ref: MFC** 40 x 40cm Royal Blue.



▲ Spec Safety Neck Cords

Spec cords with safety "breakaway" clips. Especially useful for any spec wearers near to moving parts. Available in black, brown and navy.



▲ Zip Case

This frame case is suitable for larger wrap design models. Hard plastic with zip closing.

.



▲ CSB Case

This XL frame case fits all of the prescription eyewear models and is supplied as standard when prescription spectacles are ordered. The case is extra wide with a hard front insert, belt strap and velcro fastening.



▲ Earlock

The product is brilliant (you will never know how brilliant until you try), for ensuring frames stay tight on the user's face, avoiding any forward slip, especially useful for straight sided frames and sunspecs.

- Small size For imperceptible fittings.
- Medium size For everyday frame sizes.
- Large size For industrial safety specs and sports eyewear.



▲ ONGUARD[™] Accessories (S0220/S0220FS/S0225)

Replcement accessiroes for OnGuard frames. See pages 8-9.

- Brow Bar S0220 Replacement dust dam/brow bar.
- Head Strap Removable adjustable head strap. Black only.

• Full Dust Screen S0220FS - Replacement full dust screen.

ORDERING PROCEDURE

- 1. Unless otherwise stated at time of ordering, it is normal practice to ensure correct optical centring by working prism, wherever this is necessary, at an additional charge.
- 2. All Polycarbonate and Trivex lenses are supplied with an anti-scratch coating as standard. This coating can also be supplied with 1.50 index resin lenses at an additional charge (see Supplementary Charges).
- 3. Our Progressive Lens pricing caters for the use of Digital Progressive Lenses.

For all other requirements, please refer to The Norville Ophthalmic Lens Catalogue for pricing.

- 4. Other lens types are available in most safety prescriptions. Pricing reverts to normal Glazed Prescription Price List. In most cases a Norville Safety Location can give quotes before proceeding if required.
- 5. All prices based on the use of 70/72mm lenses or minimum standard diameter where applicable.
- 6. A certificate of conformity is issued with each complete pair of Protective Spectacles being supplied.

Two copies are produced, one should be kept by the Optician, the other should be kept by the end user or purchasing company.

Removal of side shields will immediately invalidate this certificate. The certificate is valid for 24 months under normal wearing conditions.

PRESCRIPTION NOTES

- A. It is generally accepted that for a small fee most Safety Companies provide the facility of paying the Optician their dispensing fee and invoicing the Purchasing Company for both the dispensing fee and spectacles. The cost for this service is absorbed within the postage/administration fee.
- B. This two-part order pad contains one white copy and one yellow copy. The white copy is retained by the Purchasing Company. The yellow copy is taken to the Optician by the employee.
- C. A frame model should be indicated by the Purchasing Company along with colour. The employee's name and an internal order reference can also be inserted on the order. Your personal account number should also be indicated. It should also be noted that it is the Purchasing Company's responsibility to indicate the material the prescription lenses should be made from, in relation to the grade of impact resistance required.
- D. After completing the written order, the Optician forwards the yellow copy to the Norville Safety Division.
- E. The Norville Safety Division retains the yellow copy, returning a copy with the completed spectacles to the stated optician, along with a cheque for any dispensing fee, and certificate of conformity.
- F. Alternatively, your optician may be able to supply both their professional services and spectacles direct.


NOR	UP FLC COMPANY		AUTHORISING COMPANY ACCOUNT NUMBER					NUMBER		
QUALITY I			WIDGET MANUFACTURING N2134 SALISBURY GREEN EASTLEIGH SOSO OAB						k .	
NAME / EMPLOY	EE REF. / ORDER NO	L	AUTHORI	SING NAME & PO	BITION		E	MAL	& CONTACT P	HONE No.
ORDER N	o - S2134		DAVE SMI	th - Man	IAGE	R	ds@r	new	townoj	ots.co.uk
	FRAME ST	rLE .		EYE S	IZE .		BL		COL	OUR
5	58000			54		2	1		GOL	D
LENS MATERIAL	IMPACT GRADE	(\checkmark)	LENS PRODU	CT FORM & TYPE		LENS CO	DE INDEX	Т	NT (LFT)	COATING
POLYCARB	F		Dog							
1.50 RESIN	8	-	D28	BIFOCAL						
GLASS	8									
OPTICIAN'S RE TAX IN			SPHERE	CYL		ues	PRISM VAL	υε	DIRECTION	FRONT BASE CURVE
SIGHT TEST FEE		R	+ 1.00	1.00	1	20				
DISPENSING FEE		L	,+ 0.75	+ 1.25	1	80				
TOTAL			ADD	SEG. SZE	SE PC	1.FIT O SITION	DISTANC	s	FEADING CENTRES	OPTICAL CENTRE HEIGHT (S.V.)
Only to be filled in is claiming reimbu agreed profession	rsement for	R	+	D28	2	DN			33	31
agreed profession Full practice name must be supplied	and address	L	2.00	D28	2	DN			33	31
	PRACTIC	E NAI	IE AND ADDRESS				SPE	CIAL	INSTRUCT	IONS
NEV	VTOWN OP	TICI	ANS							
24	HIGH STREE	Т								
NEV	VTOWN									
	4RB									

		EN	166	Pro	tector 1	Гуре
		FRAME	LENS	SPECTACLES	GOGGLES	FACESHEILDS
	Manufacturer's Mark	®	R	\checkmark	\checkmark	\checkmark
_	Refractive Power ±0.06	-	1	\checkmark	\checkmark	\checkmark
OPTICAL CLASS	±0.12	-	2	~	\checkmark	<
CL	+0.12	-	3	~	~	
	-0.25	-	3	\checkmark	~	
MECHANICAL STRENGTH	Increased Robustness	-	S	\checkmark	\checkmark	<
DINA	Low Energy Impact	-F	F	1	~	<
THE	Medium Energy Impact	-B	В		~	\checkmark
N R	High Energy Impact	-A	A			\checkmark
ш	Liquid Droplets / Splashes	3	-		\checkmark	\checkmark
ISN	Large Dust Particles	4	-		~	
ЫÖ	Gas / Fine Dust Particles	5	-		~	
FIELD OF USE	Short Circuit Electric Arc	8	-			~
ш	Molten Metal / Hot Solids	9	9		~	~
	Resistance to Fogging	-	N	\checkmark	~	\checkmark
	Resistance to Surface Damage	-	к	\checkmark	\checkmark	\checkmark

Please note: All Protective Eyewear is CE marked against the P.P.E. Regs EU 2016/425, also meeting the requirements of EN166:2002.

All Prescription Protective Eyewear Lenses will be marked Optical Class 1, as long as the requirements for EN ISO 8980 - 2/International Glazing Standard EN ISO 21987 are met. Norville Protective Eyewear Division works to ISO with products licensed by INSPEC.

ALL FRAMES AT A GLANCE









Safety Protective Eyewear **Price List** FEBRUARY 24

www.norville.co.uk

1.50 RESIN n=1.50

		СОМ	PLETE PRICE IN	CLUDING FRA	ME, LENSES &	CASE
CHEMICAL RESISTANT	FRAME BAND	A S0094 S0095 S0096 S0097 S0098 S0099 S0100	B S0070 S0071 S0091 S0093 S0160	C S0210 S0220	D RES1 S0225	E S0144 S0220FS
1.50 RESIN SINGLE VISION		£p	£p	£p	£p	£p
Codes: PSF-/PSS+	+8.00/-10.00 with opposite cyls to 6.00					
1.50 RESIN FLAT TOP 28mm BI	FOCAL					
S28A (Adds 0.75 to 4.00)	+8.00/-10.00 with opposite cyls to 6.00					
1.50 RESIN WORKSTATION LE	IS					
Codes: OFFP/OFFF Order by Reading Rx	+8.00/-10.00 with opposite cyls to 6.00					
1.50 VECTOR 💷 DIGITAL PROG	RESSIVE					
Code: Vector HD (VU39) (Adds 0.75 to 3.50)	+8.00/-10.00 with opposite cyls to 6.00					
1.50 ULTOR 🐵 DIGITAL PROGR	ESSIVE					
Code: Ultor HD (NU39) (Adds 0.75 to 3.50) Design Options General Wear Desk Outdoor	+8.00/-10.00 with opposite cyls to 8.00					

POLYCARBONATE

HARDCOATED BOTH SURFACES

n=1.59 COMPLETE PRICE INCLUDING FRAME, LENSES & CASE FRAME BAND Α С E S0094 S0070 S0210 RES1 S0144 S0220FS S0095 S0071 S0220 S0225 IMPACT RESISTANT S0096 S0091 S0125 S0097 S0093 S0098 S0160 S0099 High Speed Low Energy Impact (EN166 F) S0100 £p £p £p £p £p POLYCARB SINGLE VISION Code: POLY +8.00/-10.00 with opposite cyls to 8.50 POLYCARB FLAT TOP 28mm BIFOCAL Code: CARB +8.00/-8.00 (Adds 1.00 to 3.00, 3.50 with opposite cyls to 6.00 & 4.00) POLYCARB WORKSTATION LENS Codes: OFLY/OFLF ····· +8.00/-6.00 Order by Reading Rx with opposite Degression cyls to 6.00 -0.75, -1.25, -1.75, -2.25 POLY VECTOR DIGITAL PROGRESSIVE Code: Vector HD (VU58) +8.00/-10.00 (Adds 0.75 to 3.50) with opposite cyls to 6.00 POLY ULTOR 😳 DIGITAL PROGRESSIVE Codes: Ultor HD (NU58) (Adds 0.75 to 3.50) +8.00/-10.00 Design Options with opposite General Wear cyls to 6.00 Desk Outdoor

TRIVEX

HARDCOATED BOTH SURFACES

n=1.53 COMPLETE PRICE INCLUDING FRAME, LENSES & CASE FRAME BAND Α С S0094 S0070 S0210 RES1 S0144 S0071 S0091 S0220FS S0095 S0220 S0225 IMPACT RESISTANT \$0096 S0125 S0097 S0093 S0098 S0160 S0099 S0100 High Speed Low Energy Impact (EN166 F) TRIVEX SINGLE VISION £p £p £p £p £p Code: TRIS +8.00/-10.00 with opposite cyls to 6.00 **TRIVEX FLAT TOP 28mm BIFOCAL** Code: **TR28** +8.00/-10.00 (Adds 1.00 to 3.50) with opposite cyls to 6.00 TRIVEX WORKSTATION LENS Code: OFTR +8.00/-10.00 Order by Reading Rx with opposite Degression -0.75, -1.25, -1.75, -2.25 ---cyls to 6.00 VECTOR 10 DIGITAL PROGRESSIVE Codes: Vector HD (VU53) +8.00/-10.00 (Adds 0.75 to 3.50) with opposite cyls to 6.00 .:--:. TRIVEX ULTOR ID DIGITAL PROGRESSIVE Code: Ultor HD (NU53) (Adds 0.75 to 3.50) +8.00/-10.00 **Design Options** with opposite cyls to 6.00 General Wear Desk Outdoor

EMPTY FRAMES (for fitting / display purposes only)

Frame	Frame Band	Price £ Net
S0070	В	
S0071	В	
S0091	В	
S0093	В	
S0094	А	
S0095	А	
S0096	А	
S0097	А	
S0098	А	
S0099	А	
S0100	А	
S0125	E	
S0144	E	
S0160	В	
S0210	С	
S0220	С	
S0220FS	E	
S0225	D	
RES1	D	
Squale Overspec	-	

Supplementary Charges	Code	Price £ per pair
Hard Coat Anti-Scratch	HC	
Anti Fog	AF	
Clarity	ARBC	
Clarity +Blue Blocker	KBLU	
HMAR +CleanCoat	XARE	
HMAR +AntiStatic +EasyClean	KARE	
Prism 4.25 – 6.00 Single Vision	PR02	
Prism 6.25 – 9.00 Single Vision	PR03	
Prism 9.25 – 12.00 Single Vision	PR04	
Prism 4.25 – 6.00 Multifocal	PR02	
Prism 6.25 – 9.00 Multifocal	PR03	

Accesssories	Price £ Net
Microfibre Cloths 40 x 40cm	
Spec Safety Neck Cords (Black, Brown or Navy) 1 - 5 pieces (each)	
6+ pieces (each)	
Progear Anti-Fog Lens Cleaner Display of 24 packs NB: Not for use on pre-coated Anti-fog lenses	
Zip Replacement Case Black only	
CSB Replacement Case Blue	
Earlocks Small	
Medium	
Large	
Assorted, 10 packs	
S0220 / S00220FS / S0225 Accessories Brow Bar	
Bridge	
Head Strap	
Full Dust Screen	

Ordering Empty Frames & Additional Items

Empty frames can be ordered on approval from Frame Telesales on 01452 510321, Fax 01452 510331 or Email sales@norville.co.uk.

Frames ordered for fitting purposes should be returned to Frame Telesales for credit and not forwarded to the manufacturing laboratory:

Frame Telesales, Norville (20/20) Ltd, Waterwells Drive, Gloucester GL2 2AA.

· Glass lenses available on request.

Out of Range Presciptions

Orders outside of stated prescription range in this catalogue will not be safety certified.

Full SUPPLY TERMS AND CONDITIONS can be found on the Norville website: https://www.norville.co.uk/legal-information.html





Norville (20/20) Ltd, Waterwells Drive, Gloucester GL2 2AA Tel: 01452 510321 • Fax: 01452 510331 • Email: sales@norville.co.uk Reg office: 7-10 Kelso Place, Bath, Somerset BA1 3AU • Reg number: 12734351 England



www.norville.co.uk

Scan this QR code to visit the Norville website